

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A088, A104 & A178, GC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

1,4-Dimethylnaphthalene	0.01	Chlorbenzilate	0.01	Dialifos	0.01
2,4,6-Trichlorophenol	0.01	Chlorbromuron	0.02	Diallate	0.01
2,4D-Methylester	0.01	Chlorbufam	0.02	Diazinon	0.01
2,6-Dichlorobenzamide	0.01	Chlordane	0.01	Dichlobenil	0.01
2-Phenylhydroquinone	0.01	Chlordecone	0.01	Dichlofenthion	0.01
Acetochlor	0.02	Chlorfenapyr	0.01	Dichloroaniline (3,4-)	0.01
Acibenzolar-S-methyl	0.01 r	Chlorfenson	0.01	Dichloroaniline (3,5-)	0.01
Acionifen	0.01	Chlorfenvinphos (α+β)	0.01	Dichlorophen	0.02
Acrinathrin	0.01	Chlorfluzuron	0.01	Dichlorprop-2-ethyl-hexyl	0.01 r
Alachlor	0.01	Chlormephos	0.01	Dichlorprop-methyl	0.02 r
Aldrin	0.01	Chloro-3-Methylphenol	0.01	Dichlorvos	0.01
Allethrin	0.02	Chloroaniline (3-)	0.01	Diclobutrazol	0.01
Ametoctradin	0.01	Chloroneb	0.01	Diclofop-methyl	0.01
Ametryn	0.01	Chloropropylate	0.01	Dicloran	0.01
Aminocarb	0.01	Chlorothalonil	0.01	Dicofol	0.01
Amiprophos-Methyl	0.01	Chlorothion	0.01	Dicrotophos	0.02
Anthraquinone	0.01	Chloroxuron	0.01	Dieldrin	0.01
Atrazine	0.01	Chlorpropham	0.01	Diethofencarb	0.01
Azaconazole	0.01	Chlorpyrifos-ethyl	0.01	Difenoconazole	0.01
Azinphos-ethyl	0.05	Chlorpyrifos-methyl	0.01	Difenoxuron	0.01
Azinphos-methyl	0.05	Chlorthal-dimethyl	0.01	Diflubenzuron	0.01
Aziprotryne	0.01	Chlorthiophos	0.01	Diflufenican	0.01
Azoxystrobin	0.01	Chlorthiophos-sulfone	0.01	Dimethachlor	0.01
Barban	0.01	Chlorzinolate	0.01	Dimethenamid-P	0.01
Benalaxyl	0.01	Cinidon-ethyl	0.01	Dimethipin	0.01
Benazolin-ethyl	0.01	Cinmethylin	0.01	Dimethirimol	0.02
Bendiocarb	0.01	Climbazole	0.01	Dimethoate	0.01
Benfluralin	0.01	Clodinafop-propargyl	0.01	Dimethomorph	0.01
Benfuracarb (as carbofuran)	0.01 m	Clofentezin	0.02	Dimethylvinphos	0.01
Benodanil	0.01	Cloquintocet-mexyl	0.01	Dimoxystrobin	0.01
Benzovindiflupyr	0.01	Coumaphos	0.01	Diniconazole	0.01
Benzoylprop-ethyl	0.01	Crimidine	0.01	Dinobuton	0.1 m
Bifenazate	0.01	Crufomate	0.01	Dinoseb	0.05 r
Bifenox	0.01	Cyanazine	0.01	Dinoterb	0.05 r
Bifenthrin	0.01	Cyanofenphos	0.01	Dioxabenzofos	0.01
Biphenyl (=diphenyl)	0.05	Cyanophos	0.01	Dioxacarb	0.01
Bitertanol	0.01	Cycloate	0.01	Dioxathion	0.01
Boscalid	0.01	Cyenopyrafen	0.01	Diphenamid	0.01
Bromacil	0.01	Cyfluthrin	0.01 m	Diphenylamine	0.01
Bromocyclen	0.01	Cyhalofop-butyl	0.01	Dipropetryn	0.01
Bromophos-ethyl	0.01	Cymiazole	0.01	Disulfoton	0.01
Bromophos-methyl	0.01	Cypermethrin	0.01	Disulfoton-sulfone	0.01
Bromopropylate	0.01	Cyphenothrin	0.01	Ditalimfos	0.01
Bromoxynil	0.02	Cyproconazole	0.01	DMSA	0.02
Bromoxynil-methyl	0.01	Cyprodinil	0.01	DMST	0.02
Bromoxynil-octanoate	0.01	Cyprofuram	0.01	DNOC	0.02
Bromuconazole	0.01	Dazomet	0.01 r	Dodemorph	0.01
Bupirimate	0.01	DDD (o,p)	0.01	Edifenphos	0.01
Buprofezin	0.01	DDD (p,p)	0.01	Endosulfan-alpha	0.01
Butachlor	0.01	DDE (o,p)	0.01	Endosulfan-beta	0.01
Butralin	0.01	DDE (p,p)	0.01	Endosulfan-sulfate	0.01
Butylate	0.01	DDT (o,p)	0.01	Endrin	0.01
Cadusafos	0.01	DDT (p,p)	0.01	EPN	0.01
Captafol	0.05	DEET	0.03	Epoxiconazole	0.01
Captan (as THPI)	0.02	Deltamethrin	0.01	EPTC	0.01
Carbaryl	0.01	Demeton-O	0.01	Etaconazole	0.01
Carbofuran	0.01 m	Demeton-O-sulfoxide	0.01	Ethalfuralin	0.01
Carbofuran-phenol	0.01 m	Demeton-S	0.01	Ethiofencarb	0.01
Carbophenothion	0.02	Demeton-S-methyl	0.01	Ethion	0.05
Carboxin	0.01 r	Demeton-S-methylsulfone	0.01	Ethofumesate	0.01 r
Chinomethionate	0.02	Desmetryn	0.01	Ethofumesate, 2-Keto	0.01 r
Chlorbenside	0.01	Diafenthiuron	0.02	Ethoprophos	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A088, A104 & A178, GC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

Ethoxyquin	0.01	Fosthiazate	0.01	Methoprotryn	0.01
Etofenprox	0.01	Fuberidazole	0.01	Methoxychlor	0.01
Etioazole	0.01	Furalaxyl	0.01	Metobromuron	0.01 r
Etridiazole	0.05	Furathiocarb	0.01 m	Metolcarb	0.05
Etrifos	0.01	Furmecyclox	0.01	Metoxuron	0.01
Famophos (Famphur)	0.01	Halfenprox	0.01	Metrafenone	0.01
Famoxadone	0.01	Haloxypop-ethoxyethyl	0.01 r	Metribuzin	0.02
Fenamiphos	0.01	Haloxypop-p-methyl	0.01 r	Mevinphos	0.01
Fenarimol	0.01	HCH-alpha	0.01	Mirex	0.01
Fenazaquin	0.01	HCH-beta	0.01	Monalide	0.01
Fenbuconazole	0.01	HCH-delta	0.01	Monocrotophos	0.05
Fenchlorphos	0.01	HCH-gamma (Lindane)	0.01	Monolinuron	0.02
Fenhexamid	0.01	Heptachlor	0.01	Myclobutanil	0.01
Fenitrothion	0.01	Heptachlor epoxide	0.01	Naftol-1-α	0.01
Fenobucarb	0.01	Heptenophos	0.01	Naled	0.01
Fenoxaprop-p-ethyl	0.01	Hexachloro-1,3-butadiene	0.01	Napropamide	0.01
Fenoxycarb	0.01	Hexachlorobenzene	0.01	Nicotine	0.01
Fenpiclonil	0.01	Hexaconazole	0.02	Nitralin	0.01
Fenpropathrin	0.01	Hexaflumuron	0.01	Nitrapyrine	0.02
Fenpropidin	0.01	Hexazinone	0.01	Nitrofen	0.01
Fenpropimorph	0.01	Hexythiazox	0.01	Nitrothal-isopropyl	0.01
Fenson	0.01	Imazamethabenz-methyl	0.01	Norflurazon	0.01
Fensulfothion	0.02	Indoxacarb (R+S)	0.01	Nuarimol	0.01
Fensulfothion-sulfone	0.01	Iodofenphos	0.01	Ofurace	0.02
Fenthion	0.01	Ioxynil-methyl	0.01	Orbencarb	0.01
Fenthion-sulfoxide	0.02	Ioxynil-octanoate	0.01	Oxadiargyl	0.01
Fenuron	0.01	Iprobenfos	0.01	Oxadiazon	0.01
Fenvalerate (incl. esfenvalerate)	0.01	Iprodione	0.02	Oxadixyl	0.01
Fipronil	0.02	Iprovalicarb	0.01	Oxycarboxin	0.02
Fipronil-carboxamid*	0.01	Isazofos	0.02	Oxychlordane	0.01
Fipronil-desulfinyl*	0.01	Isodrin	0.01	Oxyfluorfen	0.01
Fipronil-sulfide*	0.01	Isofenphos	0.01	Paclobutrazol	0.01
Fipronil-sulfone	0.01	Isofenphos-methyl	0.01	Paraoxon	0.02
Flamprop-M-isopropyl	0.01	Isofenphos-oxon	0.02	Paraoxon-methyl	0.01
Flamprop-M-methyl	0.01	Isoprocab	0.01	Parathion-ethyl	0.01
Flonicamid	0.01	Isoprothiolane	0.01	Parathion-methyl	0.01
Fluazifop-p-butyl	0.01 r	Isoproturon	0.05	Pebulate	0.01
Fluazinam	0.02	Isoxadifen-ethyl	0.01	Penconazole	0.01
Flubendiamide	0.01	Karanjin*	0.01	Pencycuron	0.01 r
Fluchloralin	0.01	Kresoxim-methyl	0.01	Pendimethalin	0.01
Flucycloxuron	0.01	Lambda-cyhalothrin	0.01	Pentachloraniline	0.01
Flucythrinate	0.01	Lenacil	0.01	Pentachloranisole	0.01
Fludioxonil	0.01	Leptophos	0.01	Pentachlorobenzene	0.01
Flufenacet	0.01 r	Lufenuron	0.01	Pentachlorophenol	0.05
Flufenoxuron	0.02	Malaoxon	0.02	Penthiopyrad	0.01
Flufenzin	0.02	Malathion	0.01	Permethrin	0.01
Flumethrin	0.01	Matrin	0.02 m	Perthane	0.01
Flumetralin	0.01	Mecarbam	0.01	Phenmedipham	0.01
Flumioxazine	0.01	Mefenpyr-diethyl	0.01	Phenothrin	0.1
Fluometuron	0.02	Mepanipyrim	0.01	Phenthoate	0.01
Fluopicolide	0.01	Mephosfolan	0.01	Phenylphenol-2	0.01 r
Fluotrimazole	0.01	Mepronil	0.01	Phorate	0.01 r
Fluquinconazole	0.01	Metalaxyl/metalaxyl-M	0.01	Phorate-sulfone	0.01 r
Flurenol-butyl	0.01	Metamitron	0.1 m	Phorate-sulfoxide	0.01 r
Flurochloridone	0.01	Metazachlor	0.01 r	Phosalone	0.01
Fluroxypyr-1-meptyl	0.01 r	Metconazole	0.01	Phosmet	0.01
Flusilazole	0.01	Methabenzthiazuron	0.01	Phosphamidon	0.01
Flutolanil	0.01	Methacrifos	0.01	Phthalimide (degr. folpet)	0.05
Flutriafol	0.01	Methidathion	0.01	Picolinafen	0.01
Fluvalinate (tau-)	0.01	Methiocarb	0.01	Picoxystrobin	0.01
Folpet (as phthalimide)	0.05	Metholachlor-S	0.01	Piperonyl butoxide	0.01
Fonofos	0.02	Methoprene	0.02	Pirimicarb	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A088, A104 & A178, GC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

Pirimicarb-desmethyl*	0.01	Pyrifenox	0.01	Terbutryn	0.01
Pirimiphos-ethyl	0.01	Pyrimethanil	0.01	Tetrachlorvinphos	0.01
Pirimiphos-methyl	0.01	Pyriproxyfen	0.01	Tetraconazole	0.01
Prochloraz	0.02	Pyroquilon	0.02	Tetradifon	0.01
Procymidone	0.01	Quinalphos	0.01	Tetrahydrophthalimide (degr. captan)	0.02
Profenofos	0.01	Quinoxifen	0.01	Tetramethrin	0.01
Profluralin	0.01	Quintozone	0.01	Tetrasul	0.01
Profoxydim-lithium	0.01	Quizalofop-ethyl	0.01 r	Thiobencarb	0.01
Promecarb	0.02	Resmethrin	0.01	Thiocyclam	0.01
Prometryn	0.01	S 421	0.01	Thiometon	0.01
Propachlor	0.01 r	Secbumeton	0.01	Thiometon-sulfone	0.01
Propachlor-2-OH	0.02 r	Sethoxydim	0.02	Tolclofos-methyl	0.01
Propanil	0.01	Silafluofen	0.01	Tolfenpyrad	0.03
Propaphos	0.01	Silthiofiam	0.01	Tolyfluanid	0.05 r
Propargite	0.02	Simazine	0.05	Tralkoxydim	0.01
Propazine	0.01	Spirodiclofen	0.01	Transfluthrin	0.01
Propetamphos	0.01	Spiromesifen	0.01	Triadimefon	0.01
Propham	0.01	Spiroxamine	0.01	Triadimenol	0.01
Propiconazole	0.01	Sulfotep	0.01	Triallat	0.01
Propoxur	0.01	Sulphur*	0.5	Triamiphos	0.02
Propyzamide	0.01	Sulprofos	0.01	Triazamate	0.01
Proquinazid	0.01	Tebuconazole	0.01	Triazophos	0.01
Prosulfocarb	0.01	Tebufofenpyrad	0.01	Trichloronate	0.01
Prothiofos	0.01	Tebupirimfos	0.01	Tricyclazole	0.01
Prothoate	0.01	Tebuthiuron	0.01	Trietazine	0.01
Pyracarbolid	0.01	Tecnazene	0.01	Trifenmorph	0.01
Pyraclofos	0.01	Teflubenzuron	0.01	Trifloxystrobin	0.01
Pyraflufen-ethyl	0.01 r	Tefluthrin	0.01	Triflumizole	0.01
Pyrazophos	0.01	Tepraloxymid	0.01 r	Trifluralin	0.01
Pyrethrins (cinerin/jasmolin/pyrethrin)	0.1	Terbacil	0.01	Trinexapac-ethyl	0.01
Pyribenzoxim	0.02	Terbufos	0.01	Vernolate	0.01
Pyridaben	0.01	Terbufos-sulfon	0.01	Vinclozolin	0.01
Pyridalyl	0.01	Terbumeton	0.01	Zoxamide	0.01
Pyridaphenthion	0.01	Terbuthylazine	0.01		

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A090, A104 & A178, LC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

1-Naphthalene Acetamide	0.01	Carboxin	0.01 r	Dinotefuran	0.01
1-naphthylacetic acid	0.5	Carfentrazone-ethyl	0.01 r	Dipropetryn	0.01
2,4,5-T	0.01 r	Carpropamid	0.01	Disulfoton	0.05
2,4-D	0.01 r	Chlorantraniliprole	0.01	Disulfoton-sulfone	0.01
2,4-DB	0.05 mr	Chlorbromuron	0.01	Disulfoton-sulfoxide	0.01
4-Chlorophenoxyacetic acid	0.02	Chlordimeform	0.01	Dithianon	0.01
Abamectin/avermectin (B1a+B1b)	0.01	Chlorfenvinphos (α+β)	0.01	Diuron	0.01
Acephate	0.01	Chlorflazuron	0.01	DMSA	0.01
Acequinocyl	0.05	Chloridazon	0.01	DMST	0.01
Acetamiprid	0.01	Chlorobenzuron	0.01	Dodemorph	0.01
Acibenzolar acid	0.1 mr	Chlorotoluron	0.01	Dodine	0.05
Acibenzolar-S-methyl	0.01 r	Chlorpyrifos-ethyl	0.01	Emamectin	0.01
Alachlor	0.02	Chlorpyrifos-methyl	0.01	EPN	0.02
Alanycarb	0.01	Chlorthiamid	0.01	Epoxiconazole	0.01
Aldicarb	0.01	Chlorthiophos	0.01	Etaconazole	0.01
Aldicarb-sulfone	0.01	Chromafenozide	0.01	Ethiofencarb	0.01
Aldicarb-sulfoxide	0.01	Cinosulfuron	0.01	Ethiofencarb-sulfone	0.01
Ametoctradin	0.01	Clethodim	0.01	Ethiofencarb-sulfoxide	0.01
Amisulbrom	0.01	Clethodim-sulfone	0.01	Ethion	0.01
Amitraz	0.01	Clethodim-sulfoxide	0.01	Ethiprole	0.01
Amitraz DMF (2,4-Dimethyl-formamide)	0.01	Climbazole	0.01	Ethirimol	0.01
Amitraz DMPP (2,4-Dimethylphenyl-1-methyl-formamide)	0.01	Clodinafop	0.01	Ethofumesate	0.01 r
Amitraz-DMA (2,4-Dimethylaniline)	0.01	Clofentezin	0.01	Ethoprophos	0.01
Anilazine	0.03 m	Clomazone	0.01	Ethoxysulfuron	0.01
Anilofos	0.01	Clopyralid	0.01	Etufenprox	0.01
Asulam	0.02	Clothianidin	0.01	Etiofencarb	0.01
Atrazine	0.01	Cyantraniliprole	0.01	Famoxadone	0.01
Atrazine-desethyl*	0.01	Cyazofamid	0.01	Fenamidone	0.01
Azaconazole	0.01	Cyclanilide	0.01	Fenamiphos	0.01
Azadirachtin	0.01	Cycloxydim	0.01 r	Fenamiphos-sulfone	0.01
Azamethiphos	0.01	Cyenopyrafen	0.01	Fenamiphos-sulfoxide	0.01
Azimsulfuron	0.01	Cyflufenamid	0.01	Fenarimol	0.01
Azinphos-methyl	0.01	Cyflumetofen	0.1	Fenazaquin	0.01
Azoxystrobin	0.01	Cyhexatin/Azocyclotin	0.01	Fenbuconazole	0.01
Benfuracarb (as carbofuran)	0.05 m	Cymoxanil	0.01	Fenbutatinoxide	0.02
Benomyl (as carbendazim)	0.01	Cyproconazole	0.01	Fenchlorphos oxon	0.01
Benoxacor	0.01	Cyprodinil	0.01	Fenhexamid	0.01
Bensulfuron-methyl	0.01	Cyromazine	0.02	Fenitrothion	0.01
Bentazon	0.01 r	Cythioate	0.01	Fenoxaprop	0.01
Benthiavalicarb-isopropyl	0.01	Demeton-S-methyl	0.01	Fenoxycarb	0.01
Bispyribac	0.01	Demeton-S-methylsulfone	0.01	Fenpicoxamide	0.01
Bitertanol	0.01	Desmedipham	0.01	Fenpropidin	0.01
Bixafen	0.01	Diafenthiuron	0.01	Fenpropimorph	0.01
Boscalid	0.01	Diazinon	0.01	Fenpyrazamine	0.01
Bromacil	0.01	Dicamba	0.02	Fenpyroximate	0.01
Bromoxynil	0.01	Dichlofluanid	0.02	Fensulfothion	0.01
Bromuconazole	0.01	Dichlorophen	0.02	Fensulfothion-oxon	0.01
Bupirimate	0.01	Dichlorprop	0.01 r	Fensulfothion-oxon-sulfone	0.01
Buprofezin	0.01	Dichlorvos	0.01	Fensulfothion-sulfone	0.01
Butafenacil	0.01	Diclobutrazol	0.01	Fenthion	0.01
Butocarboxim	0.02	Diclofop	0.01	Fenthion-oxon	0.01
Butocarboxim-sulfone	0.01	Dicrotophos	0.01	Fenthion-oxon sulfoxide	0.01
Butocarboxim-sulfoxide	0.01	Diethiofencarb	0.01	Fenthion-oxon-sulfone	0.01
Buturon	0.01	Difenoconazole	0.01	Fenthion-sulfone	0.01
Cadusafos	0.01	Difethialone	0.01	Fenthion-sulfoxide	0.01
Captafol	0.1	Diffubenzuron	0.01	Fentin	0.01
Carbaryl	0.01	Dimethenamid-P	0.01	Flamprop-M-methyl	0.01
Carbendazim	0.01	Dimethirimol	0.01	Flazasulfuron	0.01
Carbetamide	0.01	Dimethoate	0.01	Flonicamid	0.01
Carbofuran	0.01 m	Dimethomorph	0.01	Flonicamid-TFNA	0.1
Carbofuran-3-OH	0.01 m	Dimoxystrobin	0.01	Flonicamid-TFNG	0.1
Carbosulfan	0.05 m	Diniconazole	0.01	Florasulam	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A090, A104 & A178, LC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

Fluazifop	0.01 r	Isoxathion	0.01	Paraoxon	0.01
Fluazifop-p-butyl	0.01 r	Kresoxim-methyl	0.01	Paraoxon-methyl	0.01
Fluazinam	0.01	Landrin (2,3,5- and 3,4,5)	0.01	Penconazole	0.01
Flubendiamide	0.01	Lenacil	0.01	Pencycuron	0.01 r
Flubenzimine	0.01	Linuron	0.01	Penflufen	0.05
Flufenacet	0.01 r	Lufenuron	0.01	Penoxsulam	0.01
Flufenacet alcohol	0.01 r	Malaoxon	0.01	Phenisopham	0.01
Flufenacet oxalate	0.01 r	Malathion	0.01	Phenkapton	0.01
Flufenacet sulfonic acid	0.01 r	Mandipropamid	0.01	Phenmedipham	0.01
Flufenacet thioglycolate sulfoxid	0.01 r	Matrin	0.05 m	Phenothrin	0.01
Flufenoxuron	0.01	MCPA	0.01 r	Phorate	0.01 r
Flumethrin	0.1	MCPB	0.01 r	Phorate-sulfone	0.01 r
Flumioxazine	0.01	Mecoprop	0.01	Phorate-sulfoxide	0.01 r
Fluometuron	0.01	Mefenacet	0.01	Phosalone	0.01
Fluopyram	0.01	Mefentrifluconazole	0.01	Phosmet	0.01
Fluoxastrobin	0.01	Mepanipyrim	0.01	Phosmet oxon*	0.01
Flupyradifurone	0.01	Mepanipyrim 2-OH-propyl*	0.01	Phosphamidon	0.01
Fluquinconazole	0.01	Mephosfolan	0.01	Picoxystrobin	0.01
Flurprimidol	0.01	Mepronil	0.01	Pinoxaden	0.05 r
Flusilazole	0.01	Meptyldinocap	0.01 r	Piperalin	0.01
Fluthiacet-methyl	0.01	Mesosulfuron methyl	0.01	Piperonyl butoxide	0.01
Flutianil	0.01	Mesotrione	0.05	Pirimicarb	0.01
Flutolanil	0.01	Metaflumizone	0.01	Pirimicarb-desmethyl*	0.01
Flutriafol	0.01	Metalaxyl/metalaxyl-M	0.01	Pirimiphos-methyl	0.01
Fluxapyroxad	0.01	Metamifop	0.01	Prochloraz	0.01
Forchlorfenuron	0.01	Metazachlor	0.01 r	Prochloraz BTS44595	0.02
Formetanate (incl. hydrochloride)	0.1 m	Metconazole	0.01	Prochloraz BTS44596	0.02
Formothion	0.01	Methamidophos	0.01	Profenofos	0.01
Fosthiazate	0.01	Methidathion	0.01	Propachlor ESA	0.03 mr
Foxim	0.01	Methiocarb	0.01	Propamocarb	0.01
Furathiocarb	0.01 m	Methiocarb-sulfone	0.01	Propaquizafop	0.01 r
Halofenozide	0.01	Methiocarb-sulfoxide	0.01	Propargite	0.01
Halosulfuron-methyl	0.01	Methomyl	0.01	Propiconazole	0.01
Haloxifop	0.01 r	Methoxyfenozide	0.01	Propoxur	0.01
Heptenophos	0.01	Metobromuron	0.01 r	Propoxycarbazone	0.01 r
Hexaconazole	0.01	Metoxuron	0.01	Propyzamide	0.01
Hexythiazox	0.01	Metsulfuron-methyl	0.01	Proquinazid	0.01
Hymexazol	0.02 m	Milbemectin (A3+A4)	0.01	Prosulfocarb	0.01
Icaridine	0.01	Molinate	0.01	Prosulfuron	0.01
Imazalil	0.01	Monocrotophos	0.01	Prothiocarb	0.1 m
Imazamox	0.01	Monolinuron	0.01	Prothioconazole-desthio	0.01
Imazapic	0.01	Monuron	0.01	Pydiflumetofen	0.01
Imazapyr	0.01	Myclobutanil	0.01	Pymetrozine	0.01
Imazaquin	0.01	Naled	0.01	Pyraclostrobin	0.01
Imazethapyr	0.01	Napropamide	0.01	Pyridaben	0.01
Imibenconazole	0.01	Naptalam	0.01	Pyridaphenthion	0.01
Imidacloprid	0.01	Neburon	0.01	Pyridate	0.02 r
Indaziflam	0.05	Nicosulfuron	0.01	Pyridate CL 9673	0.01 r
Indoxacarb (R+S)	0.01	Nitenpyram	0.01	Pyrifenoxy	0.02
Iodosulfuron-methyl	0.01	Novaluron	0.01	Pyrimethanil	0.01
Ioxynil	0.01	Nuarimol	0.01	Pyrimidifen	0.05
Iprobenfos	0.01	Omethoate	0.01	Pyriofenone	0.01
Iprovalicarb	0.01	Orthosulfamuron	0.01	Pyriproxyfen	0.01
Isocarbophos	0.01	Oryzalin	0.1 m	Pyroxsulam	0.01
Isofetamid	0.01	Oxadixyl	0.01	Quinalphos	0.01
Isoprothiolane	0.01	Oxamyl	0.01 m	Quinclorac	0.01
Isoproturon	0.01	Oxamyl-oxime*	0.01	Quinmerac	0.02 r
Isopyrazam	0.01	Oxasulfuron	0.01	Quinoclamine	0.01
Isouron	0.01	Oxathiapiprolin	0.01	Quizalofop	0.01 r
Isoxaben	0.01	Oxycarboxin	0.01	Quizalofop-p-tefuryl	0.01 r
Isoxaflutole	0.01	Oxydemeton-methyl	0.01	Rimsulfuron	0.01
Isoxaflutole-diketonitrile	0.01	Paclobutrazol	0.01	Rotenone	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

ANALYSIS LIST PESTICIDES

Normec Groen Agro Control Peru

Analysis list Oil containing matrices, SPV A090, A104 & A178, LC-MSMS

Version pe5, valid since 21-07-2025

List of components and their reporting limit in mg/kg

Saflufenacil	0.01 r	Terbufos	0.05	Triadimefon	0.01
Sedaxane	0.01	Terbufos-sulfon	0.01	Triapenthenol	0.01
Spinetoram (J+L)	0.01	Terbufos-sulfoxide	0.01	Triasulfuron	0.01
Spinosad	0.01	Terbutylazine	0.01	Triazamate	0.01
Spirodiclofen	0.01	Tetraconazole	0.01	Triazophos	0.01
Spiromesifen	0.01	Thiabendazole	0.01	Triazoxide	0.01 m
Spirotetramat	0.01	Thiabendazole-5-OH*	0.01	Tribenuron-methyl	0.01
Spirotetramat-enol	0.01	Thiacloprid	0.01	Trichlorfon	0.01
Spirotetramat-enol-glucoside*	0.01	Thiamethoxam	0.01	Triclopyr	0.02 r
Spirotetramat-ketohydroxy*	0.01	Thidiazuron	0.01	Tricyclazole	0.01
Spirotetramat-monohydroxy*	0.01	Thiencarbazone-methyl	0.01	Tridemorph	0.01
Spiroxamine	0.01	Thiodicarb	0.01	Trifloxystrobin	0.01
Sulcotrione	0.01	Thiofanox	0.01 m	Triflumizole	0.01
Sulfamethoxazole	0.01	Thiofanox-sulfone	0.01	Triflumizole FM-6-1	0.01
Sulfentrazone	0.02	Thiofanox-sulfoxide	0.01	Triflumuron	0.01
Sulfosulfuron	0.01	Thiometon-sulfone	0.01	Triflusulfuron-methyl	0.01
Sulfoxaflor (RR+SR)	0.01	Thiophanate-methyl	0.01	Triforine	0.01
Tebuconazole	0.01	Tolclofos-methyl	0.01	Triticonazole	0.01
Tebufenozide	0.01	Tolfenpyrad	0.01	Tritosulfuron	0.01
Tebufenpyrad	0.01	Tolyfluanid	0.01 r	Uniconazole	0.01
Teflubenzuron	0.01	Topramezone	0.01 r	Valifenalate	0.01
Tembotrione	0.01 r	Tralkoxydim	0.01	Vamidothion	0.01
TEPP	0.05	Tralomethrin	0.01	Zoxamide	0.01

Q: Accredited components (Dutch Accreditation Council (RvA), registration number L335)

* This component will only be reported on request

m: reporting limit for some matrices higher than MRL. r: not the full EU residue definition is analysed without additional analysis.

List of components and their reporting limit in mg/kg

Component	Q	Analysis method	Reporting limit
Diquat, Paraquat	Q	LC-MS/MS, A133	0.01
Ethylene oxide, 2-chloro-ethanol **	Q	GC-MSMS, A088 + A178	0.01
Dithiocarbamates Ferbam, Mancozeb, Maneb, Metiram, Nabam, Propineb, Thiram, Zineb, Ziram		GC-MS, as CS2, A066	0.05 CS2
Ethephon		LC-MS/MS, A131	0.05
Fosetyl-aluminium Phosphonic acid		LC-MS/MS, A131	0.01 0.05
Glyfosate, Glufosinate, AMPA		LC-MS/MS, A131	0.02
Perchlorate Chlorate		LC-MS/MS, A131	0.05 0.02
Heavy Metals		ICP-MS, A068 + A095	
Aluminium	Q		0.5
Arsenic	Q		0.05
Barium	Q		0.05
Cadmium	Q		0.01
Chromium	Q		0.05
Cobalt	Q		0.05
Copper	Q		0.05
Mercury	Q		0.01
Lead	Q		0.01
Nickel	Q		0.05
Tin	Q		0.1
Silver	Q		0.01
Zinc	Q		0.1